



Lesson 6 Practice Problems

1. Here is a diagram of an acute triangle and three squares.



Priya says the area of the large unmarked square is 26 square units because 9 + 17 = 26. Do you agree? Explain your reasoning.

2. *m*, *p*, and *z* represent the lengths of the three sides of this right triangle.



Select **all** the equations that represent the relationship between m, p, and z.

A.
$$m^2 + p^2 = z^2$$

B.
$$m^2 = p^2 + z^2$$

C.
$$m^2 = z^2 + p^2$$

D.
$$p^2 + m^2 = z^2$$

E.
$$z^2 + p^2 = m^2$$

F.
$$p^2 + z^2 = m^2$$



3. The lengths of the three sides are given for several right triangles. For each, write an equation that expresses the relationship between the lengths of the three sides.

b.
$$\sqrt{5}, \sqrt{3}, \sqrt{8}$$

c. 5,
$$\sqrt{5}$$
, $\sqrt{30}$

d. 1,
$$\sqrt{37}$$
, 6

e. 3,
$$\sqrt{2}$$
, $\sqrt{7}$

4. Order the following expressions from least to greatest.

$$25 \div 10$$

$$2.5 \div 1,000$$

$$0.025 \div 1$$

(From Unit 4, Lesson 1.)



- 5. Which is the best explanation for why $-\sqrt{10}$ is irrational?
 - A. $-\sqrt{10}$ is irrational because it is not rational.
 - B. $-\sqrt{10}$ is irrational because it is less than zero.
 - C. $-\sqrt{10}$ is irrational because it is not a whole number.
 - D. $-\sqrt{10}$ is irrational because if I put $-\sqrt{10}$ into a calculator, I get -3.16227766, which does not make a repeating pattern.

(From Unit 8, Lesson 3.)

- 6. A teacher tells her students she is just over 1 and $\frac{1}{2}$ billion seconds old.
 - a. Write her age in seconds using scientific notation.
 - b. What is a more reasonable unit of measurement for this situation?
 - c. How old is she when you use a more reasonable unit of measurement?

(From Unit 7, Lesson 15.)