Unit 7 Lesson 4: Solving Quadratic Equations with the Zero Product Property

1 Math Talk: Solve These Equations (Warm up)

Student Task Statement

What values of the variables make each equation true?

$$6 + 2a = 0$$

$$7b = 0$$

$$7(c-5) = 0$$

$$g \cdot h = 0$$

2 Take the Zero Product Property Out for a Spin

Student Task Statement

For each equation, find its solution or solutions. Be prepared to explain your reasoning.

- 1. x 3 = 0
- 2. x + 11 = 0
- 3.2x + 11 = 0
- 4. x(2x + 11) = 0
- 5. (x 3)(x + 11) = 0
- 6. (x 3)(2x + 11) = 0
- 7. x(x+3)(3x-4) = 0

3 Revisiting a Projectile

Student Task Statement

We have seen quadratic functions modeling the height of a projectile as a function of time.

Here are two ways to define the same function that approximates the height of a projectile in meters, *t* seconds after launch:

$$h(t) = -5t^2 + 27t + 18$$
 $h(t) = (-5t - 3)(t - 6)$

- 1. Which way of defining the function allows us to use the zero product property to find out when the height of the object is 0 meters?
- 2. Without graphing, determine at what time the height of the object is 0 meters. Show your reasoning.