


## **Lesson 11 Practice Problems**

1. A random sample of 15 items were selected.



For this data set, is the mean or median a better measure of center? Explain your reasoning.

2. A video game developer wants to know how long it takes people to finish playing their new game. They surveyed a random sample of 13 players and asked how long it took them (in minutes).

| 1,235 | 952   | 457 | 1,486 | 1,759 | 1,148 | 548 | 1,037 |
|-------|-------|-----|-------|-------|-------|-----|-------|
| 1,864 | 1,245 | 976 | 866   | 1,431 |       |     |       |

a. Estimate the median time it will take *all* players to finish this game.

b. Find the interquartile range for this sample.



- 3. Han and Priya want to know the mean height of the 30 students in their dance class. They each select a random sample of 5 students.
  - $^{\circ}$  The mean height for Han's sample is 59 inches.
  - ° The mean height for Priya's sample is 61 inches.

Does it surprise you that the two sample means are different? Are the population means different? Explain your reasoning.

- 4. Clare and Priya each took a random sample of 25 students at their school.
  - Clare asked each student in her sample how much time they spend doing homework each night. The sample mean was 1.2 hours and the MAD was 0.6 hours.
  - Priya asked each student in her sample how much time they spend watching TV each night. The sample mean was 2 hours and the MAD was 1.3 hours.
  - a. At their school, do you think there is more variability in how much time students spend doing homework or watching TV? Explain your reasoning.
  - b. Clare estimates the students at her school spend an average of 1.2 hours each night doing homework. Priya estimates the students at her school spend an average of 2 hours each night watching TV. Which of these two estimates is likely to be closer to the actual mean value for all the students at their school? Explain your reasoning.