Lesson 12: Functions with Multiple Parts

• Let's look at domains that have boundaries.

12.1: Notice and Wonder: Ticket Price

What do you notice? What do you wonder?

age	ticket cost
0-2	FREE
2–5	\$2.00
5–12	\$5.00
13–16	\$7.50
17–50	\$10.00
55 and up	\$5.00

12.2: Group Ticket Cost

A community orchestra charges different amounts for tickets to shows based on the age of the person attending. A sign in front of the box office where tickets are sold shows the prices.

age	ticket cost
0–2	FREE
3–13	\$4.00
14–18	\$6.00
19–25	\$9.00
26-54	\$10.00
55 and up	\$6.00

- 1. How much does each group need to pay for their tickets? a. 2 adults aged 40 and 36, and 2 kids aged 4 and 1
 - b. 3 adults aged 74, 37, and 36

c. 5 adults in their 30s and 25 students aged 15 and 16

- d. 1 adult aged 25 and 4 kids aged 1, 9, 13, and 16
- 2. A mother arrives and tells the box office clerk that her child is 35 months old. How much should the clerk charge for the child?
- 3. If there is a rule that uses the age of a person attending the orchestra concert as the input and outputs the ticket price for that person, is that rule a function? Explain your reasoning.
 - a. What is the domain for the rule?
 - b. What is the range for the rule?

12.3: A Light Trip

1. Noah leaves his home, sometimes running, sometimes walking, sometimes stopping until he remembers that he doesn't have his wallet, then he goes back home. A graph representing his journey is shown in the graph.





- a. Describe what is happening on the domain 210 < x < 400.
- b. What are the domain intervals that represent the times when Noah was running?
- c. What are the domain intervals that represent the times when Noah was stopped?
- d. What are the domain intervals that represent the times when Noah was walking away from home?
- 2. The amount of light in a room is shown as a function of the number of hours after midnight. Describe what might be happening in the room. Be sure to use intervals within the domain in your description.

